

**CSP – 10.1.1 PEAS – FIELD NO.1 GRADE MINIMUM RECEIVAL
STANDARD FARMER DRESSED**

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	97% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective	3% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken, loose seed coat and all Field Pea seed material falling through the 3.75m slotted screen - see Point 13 of Procedures.
Mould	1 grain Max per 200g	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	1% Max by weight	Seed coat or kernel that is distinctly off colour from the characteristic colour of the predominating class.
Foreign Material	3% Max by weight, includes 1 Max per 200g clover burr and 0.5% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material. Includes a tolerance for clover burr.
Unmillable Material	0.5% Max by weight (of which 0.3% Max by weight of soil)	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	One (1) Max	Dead or alive. Whole or substantially whole (more than half) including bodies per 200g sample.
Field Insects	Fifteen (15) Max	Dead or alive per 200g sample. See Appendix C.
Grasshoppers & Locusts	Two (2) Max	Dead or alive per 200g sample. See Appendix C.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes Objectionable Odour, see Appendix A for more detail.
Ryegrass Ergot	Two (2) cms Max	Pieces laid end to end per 200g sample.

NOTE: Not less than 70% by weight of the entire sample shall be prime peas, that is, field peas of a size that will not pass through a 6.35mm round hole screen.

EXPORT STANDARD FARMER DRESSED

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The Field Peas shall be hard and well filled.	
Purity	97% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective Of which	Containers (bulk or bagged): 5% Max by weight Bulk vessel hold shipment: 7% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken, loose seed coat and all Field Pea seed material falling through the 3.75mm slotted screen - see Point 13 of Procedures.
Mould	1% Max by weight*	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	1% Max by weight	Field peas whose seed coats or kernels are distinctly off colour from the characteristic colour of the predominating class.
Foreign Material	3% Max by weight, includes 0.5% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.5% Max by weight (of which 0.3% Max by weight of soil)	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	One (1) Max	Dead. Whole or substantially whole (more than half) including bodies per 200g sample.
Field Insects	Fifteen (15) Max	Dead per 200g sample. See Appendix C.
Grasshoppers & Locusts	Two (2) Max	Dead or alive per 200g sample. See Appendix C.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes Objectionable Odour, see Appendix A for more detail.
Ryegrass Ergot	Nil tolerance	----

NOTE: Not less than 70% by weight of the entire sample shall be prime peas, that is, field peas of a size that will not pass through a 6.35mm round hole screen.

**** When not in conflict with Storage and Handling Agreement or Marketing Contract. Please note that this Export Standard is in addition to the specific quarantine requirements of particular countries, as governed by Plant Export Operations. See Introduction.***

EXPORT STANDARD MACHINE DRESSED

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	99% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective Of which	Containers (bulk or bagged): 2% Max by weight Bulk vessel hold shipment: 5% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken, loose seed coat and all Field Pea seed material falling through the 3.75m slotted screen - see Point 13 of Procedures.
Mould	1% Max by weight*	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	1% Max by weight	Seed coat or kernel that is distinctly off colour from the characteristic colour of the predominating class.
Foreign Material	1% Max by weight, includes 0.1% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.1% Max by weight	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	Nil tolerance	----
Field Insects	One (1) Max	Dead per 200g sample. See Appendix C. Includes Grasshoppers and/or Locusts.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes Objectionable Odour, see Appendix A for more detail.
Ryegrass Ergot	Nil tolerance	----

NOTE: Not less than 70% by weight of the whole shall be prime peas, that is, field peas of a size that will not pass through a 6.35mm round hole screen.

**** When not in conflict with Storage and Handling Agreement or Marketing Contract. Please note that this Export Standard is in addition to the specific quarantine requirements of particular countries, as governed by Plant Export Operations. See Introduction.***

RECEIVAL STANDARD FARMER DRESSED

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	97% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective	7% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken and loose seed coat.
Mould	1 grain Max per 200g	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	No limit	----
Foreign Material	3% Max by weight, includes 0.5% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.5% Max by weight (of which 0.3% Max by weight of soil)	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	One (1) Max	Dead or alive. Whole or substantially whole (more than half) including bodies per 200g sample.
Field Insects	Fifteen (15) Max	Dead or alive per 200g sample. See Appendix C.
Grasshoppers & Locusts	Two (2) Max	Dead or alive per 200g sample. See Appendix C.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes odour, see Appendix A for more detail.
Ryegrass Ergot	Two (2) cms Max	Pieces laid end to end per 200g sample.

EXPORT STANDARD FARMER DRESSED

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	97% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective Of which	Containers (bulk or bagged): 9% Max by weight Bulk vessel hold shipment: 11% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken and loose seed coat.
Mould	1% Max by weight*	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	No limit	----
Foreign Material	3% Max by weight, includes 0.5% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.5% Max by weight (of which 0.3% Max by weight of soil)	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	One (1) Max	Dead. Whole or substantially whole (more than half) including bodies per 200g sample.
Field Insects	Fifteen (15) Max	Dead per 200g sample. See Appendix C.
Grasshoppers & Locusts	Two (2) Max	Dead or alive per 200g sample. See Appendix C.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes Objectionable Odour, see Appendix A for more detail.
Ryegrass Ergot	Nil tolerance	----

*** When not in conflict with Storage and Handling Agreement or Marketing Contract.
Please note that this Export Standard is in addition to the specific quarantine requirements of particular countries, as governed by Plant Export Operations. See Introduction.**

EXPORT STANDARD MACHINE DRESSED

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	99% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective Of which	Containers (bulk or bagged): 2% Max by weight Bulk vessel hold shipment: 5% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken and loose seed coat.
Mould	1% Max by weight*	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Poor Colour	No limit	----
Foreign Material	1% Max by weight, includes 0.1% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.1% Max by weight	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	Nil tolerance	----
Field Insects	One (1) Max	Dead per 200g sample. See Appendix C. Includes Grasshoppers and/or Locusts.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes Objectionable Odour, see Appendix A for more detail.
Ryegrass Ergot	Nil tolerance	----

*** When not in conflict with Storage and Handling Agreement or Marketing Contract. Please note that this Export Standard is in addition to the specific quarantine requirements of particular countries, as governed by Plant Export Operations. See Introduction.**

**CSP – 10.3.1 PEAS – FIELD NO.3 GRADE MINIMUM RECEIVAL
STANDARD FARMER DRESSED**

PARAMETER	REQUIREMENTS	COMMENTS / VARIATIONS
Physical Characteristics	The peas shall be hard and well filled.	
Purity	97% Min by weight	Whole Field Peas, Defective Field Peas and Field Pea seed coats.
Moisture	14% Max	----
Defective	25% Max by weight	Field Peas not of the specified variety. Field Peas that are broken, chipped, diseased, frost damaged, insect damaged, sappy, shrivelled, split, sprouted, weather damaged, wrinkled. Includes pods that contain Field Peas, whether broken or unbroken and loose seed coat.
Of which		
Insect Damaged	10% Max by weight	----
Mould	1 grain Max per 200g	Mould (Field and / or Storage), Caked, Bin Burnt & Heat Damaged.
Foreign Material	3% Max by weight, includes 0.5% Max by weight Unmillable Material	Unmillable material and all vegetable matter other than Field Pea seed material.
Unmillable Material	0.5% Max by weight (of which 0.3% Max by weight of soil)	Soil, stones, sclerotes and non-vegetable matter. Please read important note re soil contamination – see Point 14 of Procedures.
Snails	One (1) Max	Dead or alive. Whole or substantially whole (more than half) including bodies per 200g sample.
Field Insects	Fifteen (15) Max	Dead or alive per 200g sample. See Appendix C.
Grasshoppers & Locusts	Two (2) Max	Dead or alive per 200g sample. See Appendix C.
Foreign Seeds	----	See Appendix B.
Objectionable Material	Nil tolerance	Includes odour, see Appendix A for more detail.
Ryegrass Ergot	Two (2) cms Max	Pieces laid end to end per 200g sample.